



ELSEVIER

Clinica Chimica Acta 276 (1998) 191-192



Author index

Volume 276 (1998)

- Blaakær, J., see Thougard, A.V. 276, 19
Brandi, N., see Sierra, C. 276, 1
Brown Thomas, J., Duewer, D.L., Kline, M.C., Sharpless, K.E., The stability of retinol, α -tocopherol, *trans*-lycopene, and *trans*- β -carotene in liquid-frozen and lyophilized serum 276, 75
Bruce, C., Taylor, W.H., Radio-enzymatic determination of histamine: interference by fluoride and possible activation of histamine methyl transferase 276, 157

Cambra, F.J., see Sierra, C. 276, 1
Campistol, J., see Sierra, C. 276, 1
Canalias, F., see Gella, F.-J. 276, 35
Čepelak, I., Žanić Grubišić, T., Mandušić, A., Rekić, B., Leniček, J., Valproate and carbamazepine comedication changes hepatic enzyme activities in sera of epileptic children 276, 121
Ceriotti, F., see Gella, F.-J. 276, 35
Christensen, H., see Drøhse, H. 276, 109
Christiansen, M., see Thougard, A.V. 276, 19
Critchley, J.A.J.H., see Lee, Z.S.K. 276, 89
Curtis, L.W., see Lott, J.A. 276, 129

Deulofeu, R., see Sierra, C. 276, 1
Drøhse, H., Christensen, H., Myrhøj, V., Sørensen, S., Characterisation of non-maternal serum proteins in amniotic fluid at weeks 16 to 18 of gestation 276, 109
Duewer, D.L., see Brown Thomas, J. 276, 75

Ebihara, I., see Nakamura, T. 276, 173

Frey, E., see Gella, F.-J. 276, 35
Furuya, H., see Nagano, S. 276, 53

Galán, A., see Gella, F.-J. 276, 35

Gechlik, G.A., see Lott, J.A. 276, 129
Gella, F.-J., Frey, E., Ceriotti, F., Galán, A., Hadjivassiliou, A.G., Hørder, M., Lorentz, K., Moss, D.W., Schiele, F., Canalias, F., Production and certification of an enzyme reference material for creatine kinase isoenzyme 2 (CRM 608) 276, 35
Grimm, M., see Müller, T.F. 276, 63
Guechot, J., see Laudat, A. 276, 11


Hadjivassiliou, A.G., see Gella, F.-J. 276, 35
Hashimoto, H., see Inouye, M. 276, 163
Høgdaal, C.K., see Thougard, A.V. 276, 19
Hørder, M., see Gella, F.-J. 276, 35

Inouye, M., Hashimoto, H., Mio, T., Sumino, K., Levels of lipid peroxidation product and glycated hemoglobin A_{1c} in the erythrocytes of diabetic patients 276, 163
Ito, T., see Okumura, K. 276, 143

Jaliashvili, I., see Thougard, A.V. 276, 19
Jobst, K., Lakatos, Á., Trypsin digestion of histones inhibited by glucose 276, 187

Kashiwabara, K., Nakamura, H., Kiguchi, T., Yagyū, H., Yokoi, T., Matsuoka, T., Chronological change of respiratory function in smokers with elevated serum carcinoembryonic antigen levels 276, 179
Kawakami, K., see Okumura, K. 276, 143
Kiguchi, T., see Kashiwabara, K. 276, 179
Kira, J.-i., see Nagano, S. 276, 53
Kjær, S.K., see Thougard, A.V. 276, 19
Kline, M.C., see Brown Thomas, J. 276, 75

- Koide, H., see Nakamura, T. 276, 173
- Lakatos, Á., see Jobst, K. 276, 187
- Lambruschini, N., see Sierra, C. 276, 1
- Lange, H., see Müller, T.F. 276, 63
- Laudat, A., Guechot, J., Palluel, A.-M., Seminal androgen concentrations and residual sperm cytoplasm 276, 11
- Lee, Z.S.K., Critchley, J.A.J.H., Simultaneous measurement of catecholamines and kallikrein in urine using boric acid preservative 276, 89
- Leniček, J., see Čepelak, I. 276, 121
- Lorentz, K., see Gella, F.-J. 276, 35
- Lott, J.A., Curtis, L.W., Thompson, A., Gechlik, G.A., Rund, D.A., Reported alcohol consumption and the serum carbohydrate-deficient transferrin test in third-year medical students 276, 129
- Mandušić, A., see Čepelak, I. 276, 121
- Matsui, H., see Okumura, K. 276, 143
- Matsuoka, T., see Kashiwabara, K. 276, 179
- Mio, T., see Inouye, M. 276, 163
- Mira, A., see Sierra, C. 276, 1
- Morishima, I., see Okumura, K. 276, 143
- Moss, D.W., see Gella, F.-J. 276, 35
- Moyano, D., see Sierra, C. 276, 1
- Müller, M.M., see Müller, T.F. 276, 63
- Müller, T.F., Vogl, M., Neumann, M.C., Lange, H., Grimm, M., Müller, M.M., Noninvasive monitoring using serum amyloid A and serum neopterin in cardiac transplantation 276, 63
- Murase, K., see Okumura, K. 276, 143
- Myrhøj, V., see Drøhse, H. 276, 109
- Nagano, S., Yamada, T., Shinnoh, N., Furuya, H., Taniwaki, T., Kira, J.-i., Expression and processing of recombinant human galactosylceramidase 276, 53
- Nakaya, K.-i., see Nagaya, T. 276, 103
- Nagaya, T., Nakaya, K.-i., Yoshida, I., Okamoto, Y., Comparison of indices for serum vitamin E status in healthy subjects 276, 103
- Nakamura, H., see Kashiwabara, K. 276, 179
- Nakamura, T., Ebihara, I., Shimada, N., Koide, H., Effect of cigarette smoking on plasma metalloproteinase-9 concentration 276, 173
- Neumann, M.C., see Müller, T.F. 276, 63
- Numaguchi, Y., see Okumura, K. 276, 143
- Okamoto, Y., see Nagaya, T. 276, 103
- Okumura, K., Matsui, H., Kawakami, K., Morishima, I., Numaguchi, Y., Murase, K., Toki, Y., Ito, T., Modulation of LDL particle size after an oral glucose load is associated with insulin levels 276, 143
- Palluel, A.-M., see Laudat, A. 276, 11
- Rekić, B., see Čepelak, I. 276, 121
- Rund, D.A., see Lott, J.A. 276, 129
- Schiele, F., see Gella, F.-J. 276, 35
- Sharpless, K.E., see Brown Thomas, J. 276, 75
- Shimada, N., see Nakamura, T. 276, 173
- Shinnoh, N., see Nagano, S. 276, 53
- Sierra, C., Vilaseca, M.A., Moyano, D., Brandi, N., Campistol, J., Lambruschini, N., Cambra, F.J., Deulofeu, R., Mira, A., Antioxidant status in hyperphenylalaninemia 276, 1
- Sørensen, S., see Drøhse, H. 276, 109
- Sumino, K., see Inouye, M. 276, 163
- Taniwaki, T., see Nagano, S. 276, 53
- Taylor, W.H., see Bruce, C. 276, 157
- Thompson, A., see Lott, J.A. 276, 129
- Thougaard, A.V., Høgdall, C.K., Kjær, S.K., Blakær, J., Jaliashvili, I., Christiansen, M., Determination of serum tetranectin: technical and clinical evaluation of three sandwich immunoassays 276, 19
- Toki, Y., see Okumura, K. 276, 143
- Vilaseca, M.A., see Sierra, C. 276, 1
- Vogl, M., see Müller, T.F. 276, 63
- Yagyu, H., see Kashiwabara, K. 276, 179
- Yamada, T., see Nagano, S. 276, 53
- Yokoi, T., see Kashiwabara, K. 276, 179
- Yoshida, I., see Nagaya, T. 276, 103
- Žanić Grubišić, T., see Čepelak, I. 276, 121



ELSEVIER

Clinica Chimica Acta 276 (1998) 193–195



Subject index

Volume 276 (1998)

- Alcohol abuse**; Reference values; Binge drinking; Self-reported drinking **276**, 129
- Amniotic fluid proteins**; Procollagen **276**, 109
- $\Delta 4$ -androstenedione**; Cytoplasm droplet; Dihydrotestosterone; Seminal plasma; Testosterone **276**, 11
- Antioxidants**; Phenylketonuria; Hyperphenylalaninemia; Free radicals; Glutathione peroxidase; Tocopherol **276**, 1
- Apolipoproteins**; LDL particle size; Glucose load; Stepwise regression analysis; Insulin; Triglycerides **276**, 143
- Binge drinking**; Alcohol abuse; Reference values; Self-reported drinking **276**, 129
- Boric acid**; Catecholamines; Kallikrein **276**, 89
- CHO cell**; Galactosylceramidase; Mannose-6-phosphate; Lysosome; Globoid cell leukodystrophy **276**, 53
- C-type lectin**; Tumour marker; Method comparison; Ovarian cancer **276**, 19
- Carbamazepine**; Valproic acid; Epileptic children; Liver enzymes **276**, 121
- Carcinoembryonic antigen**; Ratio of measured to predicted vital capacity (%VC); Ratio of forced expiratory volume in one second to forced vital capacity (FEV₁%); Cigarette-index; Neutrophils **276**, 179
- Cardiac transplantation**; Noninvasive monitoring; Serum amyloid A; Serum neopterin **276**, 63
- Carotenoids**; Liquid chromatography; Vitamins; Human serum; Storage duration **276**, 75
- Catecholamines**; Boric acid; Kallikrein **276**, 89
- Cholesterol**; Vitamin E; Triglyceride; Polyunsaturated fatty acids; Serum **276**, 103
- Cigarette-index**; Carcinoembryonic antigen; Ratio of measured to predicted vital capacity (%VC); Ratio of forced expiratory volume in one second to forced vital capacity (FEV₁%); Neutrophils **276**, 179
- Conjugated linoleic acid**; Glycated hemoglobin A_{1c}; Diabetes mellitus; Gas chromatography–mass spectrometry **276**, 163
- Cytoplasm droplet**; $\Delta 4$ -androstenedione; Dihydrotestosterone; Seminal plasma; Testosterone **276**, 11
- Diabetes mellitus**; Conjugated linoleic acid; Glycated hemoglobin A_{1c}; Gas chromatography–mass spectrometry **276**, 163
- Diabetes**; Histones; Glycohistones; Trypsin **276**, 187
- Dihydrotestosterone**; Cytoplasm droplet; $\Delta 4$ -androstenedione; Seminal plasma; Testosterone **276**, 11
- Enzyme activation**; Histamine assay; Mas-

- tocytosis; Histamine methyl transferase; Fluoride **276, 157**
- Enzyme activity**; Reference material; Standardisation **276, 35**
- Epileptic children**; Carbamazepine; Valproic acid; Liver enzymes **276, 121**
- Fluoride**; Histamine assay; Mastocytosis; Histamine methyl transferase; Enzyme activation **276, 157**
- Free radicals**; Phenylketonuria; Hyperphenylalaninemia; Antioxidants; Glutathione peroxidase; Tocopherol **276, 1**
- Galactosylceramidase**; CHO cell; Mannose-6-phosphate; Lysosome; Globoid cell leukodystrophy **276, 53**
- Gas chromatography-mass spectrometry**; Conjugated linoleic acid; Glycated hemoglobin A_{1c}; Diabetes mellitus **276, 163**
- Globoid cell leukodystrophy**; Galactosylceramidase; CHO cell; Mannose-6-phosphate; Lysosome **276, 53**
- Glucose load**; LDL particle size; Stepwise regression analysis; Insulin; Triglycerides; Apolipoproteins **276, 143**
- Glutathione peroxidase**; Phenylketonuria; Hyperphenylalaninemia; Free radicals; Antioxidants; Tocopherol **276, 1**
- Glycated hemoglobin A_{1c}**; Conjugated linoleic acid; Diabetes mellitus; Gas chromatography-mass spectrometry **276, 163**
- Glycohistones**; Histones; Trypsin; Diabetes **276, 187**
- Histamine assay**; Mastocytosis; Histamine methyl transferase; Enzyme activation; Fluoride **276, 157**
- Histamine methyl transferase**; Histamine assay; Mastocytosis; Enzyme activation; Fluoride **276, 157**
- Histones**; Glycohistones; Trypsin; Diabetes **276, 187**
- Human serum**; Liquid chromatography; Vitamins; Carotenoids; Storage duration **276, 75**
- Hyperphenylalaninemia**; Phenylketonuria; Free radicals; Antioxidants; Glutathione peroxidase; Tocopherol **276, 1**
- Insulin**; LDL particle size; Glucose load; Stepwise regression analysis; Triglycerides; Apolipoproteins **276, 143**
- Kallikrein**; Boric acid; Catecholamines **276, 89**
- LDL particle size**; Glucose load; Stepwise regression analysis; Insulin; Triglycerides; Apolipoproteins **276, 143**
- Liquid chromatography**; Vitamins; Carotenoids; Human serum; Storage duration **276, 75**
- Liver enzymes**; Carbamazepine; Valproic acid; Epileptic children **276, 121**
- Lung cancer**; Metalloproteinase; Smoking **276, 173**
- Lysosome**; Galactosylceramidase; CHO cell; Mannose-6-phosphate; Globoid cell leukodystrophy **276, 53**
- Mannose-6-phosphate**; Galactosylceramidase; CHO cell; Lysosome; Globoid cell leukodystrophy **276, 53**
- Mastocytosis**; Histamine assay; Histamine methyl transferase; Enzyme activation; Fluoride **276, 157**
- Metalloproteinase**; Smoking; Lung cancer **276, 173**
- Method comparison**; Tumour marker; C-type lectin; Ovarian cancer **276, 19**
- Neutrophils**; Carcinoembryonic antigen; Ratio of measured to predicted vital capacity (%VC); Ratio of forced expiratory volume in one second to forced vital capacity (FEV₁%); Cigarette-index **276, 179**
- Noninvasive monitoring**; Serum amyloid A; Serum neopterin; Cardiac transplantation **276, 63**

- Ovarian cancer;** Tumour marker; Method comparison; C-type lectin **276, 19**
- Phenylketonuria;** Hyperphenylalaninemia; Free radicals; Antioxidants; Glutathione peroxidase; Tocopherol **276, 1**
- Polyunsaturated fatty acids;** Vitamin E; Cholesterol; Triglyceride; Serum **276, 103**
- Procollagen;** Amniotic fluid proteins **276, 109**
- Ratio of forced expiratory volume in one second to forced vital capacity (FEV₁ %);** Carcinoembryonic antigen; Ratio of measured to predicted vital capacity (%VC); Cigarette-index; Neutrophils **276, 179**
- Ratio of measured to predicted vital capacity (%VC);** Carcinoembryonic antigen; Ratio of forced expiratory volume in one second to forced vital capacity (FEV₁ %); Cigarette-index; Neutrophils **276, 179**
- Reference material;** Enzyme activity; Standardisation **276, 35**
- Reference values;** Alcohol abuse; Binge drinking; Self-reported drinking **276, 129**
- Self-reported drinking;** Alcohol abuse; Reference values; Binge drinking **276, 129**
- Seminal plasma;** Cytoplasm droplet; Δ 4-androstenedione; Dihydrotestosterone; Testosterone **276, 11**
- Serum amyloid A;** Noninvasive monitoring; Serum neopterin; Cardiac transplantation **276, 63**
- Serum neopterin;** Noninvasive monitoring; Serum amyloid A; Cardiac transplantation **276, 63**
- Serum;** Vitamin E; Cholesterol; Triglyceride; Polyunsaturated fatty acids **276, 103**
- Smoking;** Metalloproteinase; Lung cancer **276, 173**
- Standardisation;** Reference material; Enzyme activity **276, 35**
- Stepwise regression analysis;** LDL particle size; Glucose load; Insulin; Triglycerides; Apolipoproteins **276, 143**
- Storage duration;** Liquid chromatography; Vitamins; Carotenoids; Human serum **276, 75**
- Testosterone;** Cytoplasm droplet; Δ 4-androstenedione; Dihydrotestosterone; Seminal plasma **276, 11**
- Tocopherol;** Phenylketonuria; Hyperphenylalaninemia; Free radicals; Antioxidants; Glutathione peroxidase **276, 1**
- Triglycerides;** LDL particle size; Glucose load; Stepwise regression analysis; Insulin; Apolipoproteins **276, 143**
- Triglyceride;** Vitamin E; Cholesterol; Polyunsaturated fatty acids; Serum **276, 103**
- Trypsin;** Histones; Glycohistones; Diabetes **276, 187**
- Tumour marker;** Method comparison; C-type lectin; Ovarian cancer **276, 19**
- Valproic acid;** Carbamazepine; Epileptic children; Liver enzymes **276, 121**
- Vitamin E;** Cholesterol; Triglyceride; Polyunsaturated fatty acids; Serum **276, 103**
- Vitamins;** Liquid chromatography; Carotenoids; Human serum; Storage duration **276, 75**